

## TEKNİK ÖZELLİKLER / Technical Specifications

### 170 gr/m<sup>2</sup> OFSET (Offset)

#### TEST METODU

##### TESTING METHOD

**GRAMAJ (gr/m<sup>2</sup>)**

BASIS WEIGHT (gr/m<sup>2</sup>)

170 ± 5

Tappi 410

**KALINLIK (mic.)**

CALIPER (mic.)

215 ± 5

Tappi 411

**NEM (%)**

MOISTURE (%)

4,5 ± 0,5

Tappi 412

**MUKAVEMET (m)**

BREAKING LENGHT (m)

MD

3.500 min

Tappi 404

**MUKAVEMET (m)**

BREAKING LENGHT (m)

CD

2.000 min

Tappi 404

**BEYAZLIK (%)**

BRIGHTNESS

100,0 min

Tappi 525

**SARILIK**

YELLOWNESS

-25,0 ± 2,0

Tappi 525

**COBB (60 sn. gr/m<sup>2</sup>)**

COBB (60 sec. gr/m<sup>2</sup>)

28 ± 4

Tappi 441

**OPASİTE (%)**

OPACITY (%)

97 min

Tappi 519